

Non-Surgical Knee Treatment

Osteoarthritis (OA) is the most common type of arthritis. It is caused by a wearing away of the cartilage covering the ends of the bone. This can result in the bones rubbing against each other, causing pain, warmth, and swelling. Osteoarthritis is more common as we get older and usually starts in our 50s or 60s. It is also more common in joints that have been injured.

Non-Pharmacological Treatment		Pharmacological Treatment		
	Weight Control For every pound of weight loss, the pressure on your joints decreases 3-4 times		Topical Treatment (Ex. Pennsaid) Topical anti-inflammatories penetrate the skin barrier to deliver medication to the site of pain	
	Physiotherapy Improve strength and range of motion		Intra-articular Treatment (Injection)Steroid (cortisone)Visco-supplementation ("Gel")	
	Gait Aids Using a cane/walker can help relieve pain and provide support. Hold cane in hand opposite sore joint		Oral Medications: For pain relief • Analgesics (e.g. Acetaminophen) • Anti-inflammatories (e.g. Ibuprofen) • Non-Steroidal anti-inflammatories (e.g. Naproxen)	
	Heat and Ice Helps reduce pain and swelling Be sure to protect your skin from pro- longed exposure to ice and/or heat			
	Activity Modification Avoid high impact or aggravating activities	fami	Speak to your pharmacist and/or family doctor about specific dosing and any possible side effects	
	Brace Unloader or Neoprene (elastic sleeve)	and		

